


15" RADAR SIGNS



SAFEPACE EVOLUTION 15SD	Compatible:	Features:	Dimensions:	Electrical Specs:	Display:
<p>The Traffic Logix SafePace Evolution 15SD driver feedback sign is a portable, lightweight radar sign with full size 15" digits. A speed activated message to slow down alerts speeding drivers. Digits are dual color while messaging is available in a choice of red or amber. The 15SD sign can be mounted at multiple locations with a universal mounting bracket and can function autonomously for weeks at a time with optional battery power.</p> <p>NEW</p>  <p>SafePace CLOUD Ready</p> 	<ul style="list-style-type: none"> • AC, battery or solar power 	<ul style="list-style-type: none"> • MUTCD approved 15" digits 	<p>Digits</p> <p>First digit: 15"(h) x 1.5"(w) Other digits: 15"(h) x 8"(w)</p>	<p>AC power input</p> <p>100-240 V AC</p>	<p>LEDs</p> <p>548</p>
	<ul style="list-style-type: none"> • Traffic data and reports 	<ul style="list-style-type: none"> • Static Your Speed message 	<p>Text</p> <p>- Full size: Letters 6.0"(h) spell "YOUR SPEED" fixed message, 2 lines - Letters 5"(h) spell "SLOW DOWN", 1 line</p>	<p>DC power input</p> <p>12 V DC</p>	<p>Digits</p> <p>256 LEDs: Color: Yellow (590 nm) Viewing angle at 50% IV: 30° Partial Flux (Brightness): 9000 - 22400 Ev,[lux]/LED</p> <p>256 LEDs: Color: Red (633 nm) Viewing angle at 50% IV: 30° Partial Flux (Brightness): 7100 - 18000 Ev,[lux]/LED</p>
	<ul style="list-style-type: none"> • SafePace Cloud remote access 	<ul style="list-style-type: none"> • Flashes "Slow Down" message at drivers who exceed designated speed 	<p>Unit with "YOUR SPEED" sign mounted</p>	<p>Solar panel options</p> <p>Full size sign: 42"(h) x 30"(w) x 5.625"(d)</p>	<p>50W or 90W solar panel</p> <p>Slow Down Message</p> <p>227 LEDs: Color: Red 633 nm) Viewing angle at 50% IV: 30° Partial Flux (Brightness): 7100 - 18000 Ev,[lux]/LED</p>
	<ul style="list-style-type: none"> • Universal mounting bracket 	<ul style="list-style-type: none"> • Lightweight / compact design 			<p>Speed Violator Strobe</p> <p>36 LEDs: Color: White (2700 K - 6500 K) Viewing angle at 50% IV: 150° Luminous Flux: typically 33lm @ 4000 K Luminous Efficacy: typically 176 lm/W @4000 K</p>
	<ul style="list-style-type: none"> • Beacon system for school zones 	<ul style="list-style-type: none"> • Energy efficient power options 			<p>Ambient Light Sensors</p> <p>1 sensor and automatic brightness adjustment</p>
	<ul style="list-style-type: none"> • Cruiser LT mobile trailer 	<ul style="list-style-type: none"> • Compact or full size sign face 			
	<ul style="list-style-type: none"> • Moveable sign dolly 	<ul style="list-style-type: none"> • Choice of sign color 			
	<ul style="list-style-type: none"> • Sign hitch 				

SAFEPACE 450	Compatible:	Features:	Dimensions:	Electrical Specs:	Display:
<p>The SafePace 450 speed display sign offers a portable speed solution that doesn't compromise on digit size or visibility. The innovative sign displays vehicle speed in full 15" LED digits at a weight of only around 20 lbs (depending on options) and can be seen from up to 1000 feet away. Using optional battery power, the sign can function autonomously for up to two weeks. With a full range of features including intuitive programming, low power consumption, vandal resistance, and universal mounting brackets, the SafePace 450 is the lightweight sign with full size impact.</p>   <p>SafePace CLOUD Ready</p>	<ul style="list-style-type: none"> • AC, battery or solar power 	<ul style="list-style-type: none"> • MUTCD approved 15" digits 	<p>Digits</p> <p>15"(h) x 8"(w), 112 LEDs per digit</p>	<p>AC power input</p> <p>100-240 V AC</p>	<p>LEDs</p> <p>245</p>
	<ul style="list-style-type: none"> • Traffic data and reports 	<ul style="list-style-type: none"> • Static Your Speed message 	<p>Text</p> <p>Full size: Letters 6.0"(h) spell "YOUR SPEED" fixed message, 2 lines Compact size: Letters 4.0"(h) spell "YOUR SPEED" fixed message, 1 line</p>	<p>DC power input</p> <p>12 V DC</p>	<p>Digits</p> <p>224 Amber, 23°, 5 mm, luminous Intensity (5,000 - 12,000 mcd/LED)</p>
	<ul style="list-style-type: none"> • SafePace Cloud remote access 	<ul style="list-style-type: none"> • Lightweight, compact design 	<p>Unit alone</p>	<p>Solar panel options</p> <p>21.5"(h) x 26"(w) x 3.5"(d)</p>	<p>50W or 90W solar panel</p> <p>Speed Violator Strobe</p> <p>21 White, 15°, 5 mm, luminous intensity (18,000 - 28,000 mcd/LED)</p>
	<ul style="list-style-type: none"> • Universal mounting bracket 	<ul style="list-style-type: none"> • Energy efficient power options 	<p>Unit with "YOUR SPEED" sign mounted</p>	<p>Full size: 40.0"(h) x 30.0"(w) x 3.5"(d) Compact size: 28.0"(h) x 28.0"(w) x 3.5"(d)</p>	<p>Optical Lenses</p> <p>245</p>
	<ul style="list-style-type: none"> • Beacon system for school zones 	<ul style="list-style-type: none"> • Compact or full size sign face 			<p>Ambient Light Sensors</p> <p>2 sensors and automatic brightness control</p>
	<ul style="list-style-type: none"> • Cruiser LT mobile trailer 	<ul style="list-style-type: none"> • Choice of sign color 			
	<ul style="list-style-type: none"> • Moveable sign dolly 				
	<ul style="list-style-type: none"> • Sign hitch 				

www.TrafficOB.com

sales@trafficob.com

(346) 320-6070

15" RADAR SIGNS



SAFEPACE 550	Compatible:	Features:	Dimensions:	Electrical Specs:	Display:
	<p>The Traffic Logix SafePace 550 variable speed limit sign allows you to display speed limits based on work or school zone scheduling. Using highly visible LEDs, the competitively priced SafePace 550 ensures that motorists are aware when the speed limit has changed. With the flexibility needed for safe school and work zones, the SafePace 550 lets you program speed limits by the time of day or week. Offering outstanding features and superior functionality, the SafePace 550 is there to help protect your roads.</p>  <p>SafePace CLOUD Ready</p>	• AC, battery or solar power	• MUTCD approved 15" digits	Digits 15" (h) x 8" (w), 112 LEDs per digit	AC power input 100-240 V AC
• Traffic data and reports		• Static Your Speed message	Text Full size: Letters 6.0" (h) spell "YOUR SPEED" fixed message, 2 lines	DC power input 12 V DC	Digits 224 Amber, 23", 5 mm, luminous intensity (5,000 - 12,000 mcd/LED)
• SafePace Cloud remote access		• Lightweight, compact design	Unit alone 21.5" (h) x 26" (w) x 3.5" (d)	Solar panel options 50W or 90W solar panel	Speed Violator Strobe 21 White, 15", 5 mm, luminous intensity (18,000 - 28,000 mcd/LED)
• Universal mounting bracket		• Energy efficient power options	Unit with "YOUR SPEED" sign mounted Full size: 40.0" (h) x 30.0" (w) x 3.5" (d)		Optical Lenses 245
• Beacon system for school zones		• Compact or full size sign face			Ambient Light Sensors 2 sensors and automatic brightness control
• Cruiser LT mobile trailer		• Choice of sign color			
• Moveable sign dolly • Sign hitch					

SAFEPACE 600	Compatible:	Features:	Dimensions:	Electrical Specs:	Display:
	<p>The versatile Traffic Logix SafePace 600 radar feedback sign has two lines of completely customizable LEDs that can display text, graphics, or animation. Whether you want to simply alert drivers of their speeds or notify them about an event, construction or dangerous road conditions, you can choose the message to display. The user friendly management interface lets you program your radar sign to show different messages based on scheduling or driver behavior. The SafePace 600 dynamic message sign will provide years of continued traffic calming, making your streets a safer place to live.</p>  <p>SafePace CLOUD Ready</p>	• AC, battery or solar power	• MUTCD approved 15" digits	Digits 15" (h) x 8" (w), 112 LEDs per digit	AC power input 100-240 V AC
• Traffic data and reports		• Customizable messaging	Variable Message Matrix - 12.5" (h) x 24" (w), 512 LEDs, - 1 graphic or 2 lines of 6.0" (h) text (up to 7 characters per line)	DC power input 12 V DC	Digits 224 Amber, 23", 5 mm, luminous intensity (5,000 - 12,000 mcd/LED), 256 for 3-digit option
• SafePace Cloud remote access		• Change messages based on schedules or driving behavior	Unit 42.5" (h) x 31.0" (w) x 5.0" (d)	Solar panel options 90 W, 140 W	Matrix 512 Amber, 15", 5 mm, luminous intensity (5,000 - 12,000 mcd/LED)
• Beacon system for school zones		• Unlimited text and graphic display options			Speed Violator Strobe 21 White, 15", 5 mm, luminous intensity (18,000 - 28,000 mcd/LED)
• Cruiser LT mobile trailer		• Energy efficient power options • Choice of sign color			Optical Lenses 757, 789 for 3-digit option
					Ambient Light Sensors 2 sensors and automatic brightness control

SAFEPACE 625	Compatible:	Features:	Dimensions:	Electrical Specs:	Display:
	<p>The SafePace 625 radar sign offers a lightweight design that is 30% smaller than the SafePace 600 sign with the same full size 15" digits. Available with a choice of compact or full size sign face, the SafePace 625 offers the ability to display "Slow Down" messaging to alert speeding drivers. With optional universal mounting and a choice of AC, solar, or battery power, the SafePace 625 is well equipped to slow cars and return safety to your roads.</p>  <p>SafePace CLOUD Ready</p>	• AC, battery or solar power	• MUTCD approved 15" digits	Digits 15" (h) x 8" (w), 744 LEDs	AC power input 100-240 V AC
• Traffic data and reports		• Lightweight, compact design	Message Matrix 15" (h) x 20.5" (w), 744 LEDs	DC power input 12 V DC	Digits 744 Amber, 15", 5 mm, luminous intensity (5,000 - 12,000 mcd/LED)
• SafePace Cloud remote access		• Static Your Speed Message	Text Full size: Letters 6.0" (h) spell "YOUR SPEED" fixed message, 2 lines Compact size: Letters 4.0" (h) spell "YOUR SPEED" fixed message, 1 line	Solar panel options 50W	Speed Violator Strobe 52 White, 15", 5 mm, luminous intensity (18,000 - 28,000 mcd/LED)
• Universal mounting bracket		• Slow Down Message Alert	Unit alone 21.5" (h) x 26" (w) x 3.5" (d)		Optical Lenses 796
• Beacon system for school zones		• Energy efficient power options	Unit with "YOUR SPEED" sign mounted Full size: 40.0" (h) x 30.0" (w) x 3.5" (d) Compact size: 28.0" (h) x 28.0" (w) x 3.5" (d)		Ambient Light Sensors 2 sensors and automatic brightness control
• Cruiser LT mobile trailer		• Compact or full size sign face			
• Moveable sign dolly • Sign hitch					

